

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S158	6	(spilman with antony or cunningham with david).in. and (rate with adaptive or variable with rate or chang\$3 with rate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/31 17:29
S159	44	(chang\$3 or vary\$3 or adapt\$3 or variable) with rate same ((insert \$3 or add\$3 or pad\$4 or append\$4) with (invalid or in-valid or nonvalid or non valid or dummy) data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/31 17:36
S160	8	S159 and optic\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/31 17:45
S161	36	S159 not S160	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/31 17:50
S162	160	optical and communication and (adjust\$3 or chang\$3 or vary\$3 or adapt\$3 or variable) with rate and ((insert\$3 or add \$3 or pad\$4 or append \$4) with (invalid or in-valid or nonvalid or non valid or dummy) data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/31 19:04
S164	7	optical and communication and (adjust\$3 or chang\$3 or vary\$3 or adapt\$3 or variable) with rate same ((insert\$3 or add \$5 or pad\$4 or append \$4) with (invalid or in-valid or nonvalid or non valid or dummy) data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/31 19:05

S163	7	optical and communication and (adjust\$3 or chang\$3 or vary\$3 or adapt\$3 or variable) with rate same ((insert\$3 or add \$3 or pad\$4 or append \$4) with (invalid or in-valid or nonvalid or non valid or dummy) data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/31 19:05
S165	12	(adjust\$3 or chang\$3 or vary\$3 or adapt\$3 or variable) with rate same ((insert\$3 or add \$5 or pad\$4 or append \$4 or input\$4) with (invalid or in-valid or nonvalid or non valid or dummy) data) and ((invalid or in-valid or nonvalid or non valid or dummy) with (identif\$4 or recogniz \$3 or ignor\$4 or discard\$3 or drop\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/31 19:15
S166	1	(adjust\$3 or chang\$3 or vary\$3 or adapt\$3 or variable) with rate same ((insert\$3 or add \$5 or pad\$4 or append \$4 or input\$4) with (invalid or in-valid or nonvalid or non valid or dummy) data) and ((invalid or in-valid or nonvalid or non valid or dummy) with (thrown or threw or throw) away)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/31 19:30
S168	4	S165 and communication and optic\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/31 19:31
S167	9	S165 and communication	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/31 19:31

S169	2	("5768316").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/31 20:51
S170	6	(increas\$3 or decreas\$3) with rate same ((insert\$3 or add\$5 or pad\$4 or append\$4 or input\$4) with (invalid or in-valid or nonvalid or non valid or dummy) data) and ((invalid or in-valid or nonvalid or non valid or dummy) with (identif\$4 or recogniz\$3 or ignor\$4 or discard\$3 or drop\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/31 20:56
S171	4	(increas\$3 or decreas\$3 or adjust\$3 or chang\$3 or vary\$3 or adapt\$3 or variable) with rate same ((insert\$3 or add\$5 or pad\$4 or append\$4 or input\$4) with (invalid or in-valid or nonvalid or non valid or dummy) bit) and ((invalid or in-valid or nonvalid or non valid or dummy) with (identif\$4 or recogniz\$3 or ignor\$4 or discard\$3 or drop\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/31 21:00
L1	2	("6760391").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/01 09:47
L2	2	("5801781").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/01 10:25
L3	4	((("5479447") or ("7149424")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/01 11:09

8/ 1/ 2008 12:05:18 PM

C:\ Documents and Settings\ Iliu1\ My Documents\ EAST\ Workspaces\ AP10798146.wsp